



www.PetroRigs.com

www.PetroRigs.com





www.PetroRigs.com



www.PetroRigs.com



www.PetroRigs.com

www.PetroRigs.com





www.PetroRigs.com



www.PetroRigs.com



OIL FILTER DIFFERENTIAL SEPARATOR DIFFERENTIAL TEMPERATURE LINE PRESSURE PUMP PRESSURE

WARNING
HIGH VOLTAGE can kill.
Do not work on high voltage circuits without proper training and safety equipment.
WARNING: Do not touch moving parts.
Do not touch moving parts until the machine is stopped and the power is disconnected.
Do not touch moving parts until the machine is stopped and the power is disconnected.
Do not touch moving parts until the machine is stopped and the power is disconnected.

⚠ DANGER
Lethal shock hazard inside.
Disconnect & lock out all power sources before opening or servicing.

COMPRESSOR POWER
OFF RUN AUTO
DEFROST
POWER ON

WARNING
Compressed air can kill.
Do not use compressed air for breathing purposes.
Do not use compressed air for cleaning clothes or skin.
Do not use compressed air for cleaning eyes or face.
Do not use compressed air for cleaning hair or clothing.
Do not use compressed air for cleaning shoes or socks.
Do not use compressed air for cleaning jewelry or watches.
Do not use compressed air for cleaning tools or equipment.
Do not use compressed air for cleaning any part of the body.

OPERATION AND MAINTENANCE
TO START: 1. OPEN AND LOCK OUT MAIN POWER DISCONNECT.
2. CHECK LIQUID LEVELS AND FILL WITH WATER & OIL.
3. BELT DRIVE DISCONNECT (B.D.C.)
4. MOVE BELT DRIVE TO "STOP" OR "AUTO" POSITION.
5. PULL OPEN SERVICE AIR VALVE.
6. CHECK PRESSURE AND TEMPERATURE.
7. CHECK MANUAL STOP TO TEST SHUT OFF AND FOR COMPLETE OPERATION AND TROUBLESHOOTING INFORMATION.
TO STOP: TURN SWITCH TO "OFF" POSITION.
NOTE: IF MACHINE STARTS MORE THAN 1 TIME PER HOUR, STOP THE MACHINE TO THE "STOP" POSITION.
MAINTENANCE: REFER TO MANUAL FOR MORE DETAILED INSTRUCTIONS.
AS REQUIRED: CHANGE OIL, FILL WATER AND FILL OIL TANK.
CHECK OIL LEVELS: CHECK OIL LEVELS DAILY.
CHECK WATER LEVELS: CHECK WATER LEVELS DAILY.
CHECK TEMPERATURE: CHECK TEMPERATURE DAILY.
CHECK PRESSURE: CHECK PRESSURE DAILY.
CHECK BELT DRIVE: CHECK BELT DRIVE DAILY.
CHECK SERVICE AIR VALVE: CHECK SERVICE AIR VALVE DAILY.
CHECK MANUAL STOP: CHECK MANUAL STOP DAILY.
CHECK COMPLETE OPERATION: CHECK COMPLETE OPERATION DAILY.
CHECK TROUBLESHOOTING INFORMATION: CHECK TROUBLESHOOTING INFORMATION DAILY.

50DG

1

Sullivan
Palatek

www.PetroRigs.com

DANGER **PELIGRO**
THIS MACHINE MAY START AUTOMATICALLY
MAQUINA EMPEZA AUTOMATICA

Sullivan
Palatek



www.PetroRigs.com

www.PetroRigs.com





www.PetroRigs.com



www.PetroRigs.com



www.PetroRigs.com



www.PetroRigs.com



www.PetroRigs.com



LIFT HERE ONLY

946 LBS.
4200 LBS.

FLUID INLET

www.PetroRigs.com

DERRICK
CORPORATION

MADE IN
U.S.A.



www.PetroRigs.com

A photograph of an industrial machine, likely a pipe threading or cutting tool, mounted on a metal grating platform. The machine has a blue-painted motor and a large, cylindrical, weathered metal body. A red-handled tool is resting on a smaller blue component to the left. The background shows a complex of pipes, yellow safety railings, and other rig structures under bright sunlight. A watermark is centered over the image.

www.PetroRigs.com



www.PetroRigs.com



www.PetroRigs.com



www.PetroRigs.com



www.PetroRigs.com



www.PetroRigs.com

www.PetroRigs.com





www.PetroRigs.com