

www.petrorigs.com



www.petrorigs.com





www.petrorigs.com

GUYED RIG MAST NAME PLATE

MANUFACTURED TO API EDITION: [1ST EDITION, JUNE 1, 1975]

U.S. DEPARTMENT OF ENERGY

RMCTC RIG#1

OWNER

RIG NO

7/8"

LOAD LINES

3/4"

LOAD LINES (OPTIONAL)

1/2"

MONKEY BOARD SUPPORT CABLE

5/8"

GUY LINES

5/8"

MONKEY BOARD GUY LINES

MAST SETUP

4'-6"

MAST MANUFACTURER:

CROWN ENERGY TECHNOLOGIES Inc.

NAME ADDRESS:

3005 Shepard Place SE. Calgary Canada

DATE OF MANUFACTURE:

MARCH 2005

SERIAL NUMBER:

05-M3859-05

118 FT

36 M

200,000 LBF

89,000 daN

250,000 LBF

110,000 daN

375,000 LBF

167,000 daN

NOTE:

GUY LINES MUST MEET API SPECIFICATIONS AND 9B. AS WELL AS ALL INDUSTRIAL HEALTH AND SAFETY REGULATIONS. SEE OPERATING MANUAL FOR INFORMATION & DETAILED INSTRUCTIONS.

WIND SPEED RATING

MPH

KM/HR

KNOTS

69

111

60

W/BARE MAST

69

111

60

W/FULL SETBACK

69

111

60

CAUTION: ACCELERATION OR IMPACT, ALSO SETBACK, AND WIND LOADS WILL REDUCE THE MAXIMUM RATED STATIC HOOD LOAD CAPACITY.



www.petrorigs.com



www.petrorigs.com



www.petrorigs.com



www.petrorigs.com



www.petrorigs.com



www.petrorigs.com





www.petrorigs.com

STOP



n/min



CATERPILLAR

www.petrorigs.com



CATERPILLA

www.petrorigs.com



www.petrorigs.com



R1

R11