



www.PetroRigs.com

125724

A large, grey, rectangular industrial unit, possibly a generator or power source, is mounted on a flatbed truck. The unit has a large, dark, rectangular window on its side and a large, silver, corrugated metal grille on its front. A yellow bucket is placed on the truck bed next to the unit. A blue crane arm is visible on the right side of the frame. The background shows a clear blue sky and another truck in the distance. The text "www.PetroRigs.com" is overlaid in the center of the image.

www.PetroRigs.com



www.PetroRigs.com



www.PetroRigs.com



www.PetroRigs.com



www.PetroRigs.com



www.PetroRigs.com

A close-up, low-angle shot of a red industrial rig structure, likely part of an oil or gas wellhead. The structure is made of heavy-duty steel beams and features several large red hydraulic cylinders. Numerous black and blue hoses are connected to the system, some bundled together. A blue vertical pipe is visible on the right side. The background shows a clear blue sky with some clouds and a distant truck. The overall scene is industrial and outdoors.

www.PetroRigs.com



www.PetroRigs.com



www.PetroRigs.com



www.PetroRigs.com



www.PetroRigs.com

A large industrial machine, possibly a pump or compressor, featuring a prominent blue frame and a large, curved mesh screen. The machine is equipped with various hydraulic components, including pipes, valves, and a red fire extinguisher is visible in the lower left corner. The background shows a clear blue sky with some clouds.

www.PetroRigs.com



www.PetroRigs.com

CD022151

www.PetroRigs.com

05/09

TRAILER CTU W/ CRANE ASSY

MFG by:



Ph 580-889-7270

RAILER & MFG LLC

501 S. Jefferson
Atoka, OK 74525

Serial: 1A9L951308A245724

Model: CA022160

Load Capacity: 120,000 LBS
54,432 KGS

Date Mfg.: DEC. 2008

	First	Second	Third
Axle Capacity:	25,000 LBS 11,340 KGS	25,000 LBS 11,340 KGS	25,000 LBS 11,340 KGS

Fourth

Tire Size: 275/70R 22.5
Rim Size: 8.25 x 22.5

Weight: 6175 DUAL 125 PSI
859 KPA

Vehicle conforms to all applicable Federal Motor Vehicle
Safety Standards in effect on Date of Mfg shown above

10 X 15-3 = 11748710

CABIN ACCUMULATOR
DUMP

CAUTION:

VALVE MUST BE OPEN
WHEN DISCONNECTING
TRACTOR FROM TRAILER

www.PetroRigs.com

www.PetroRigs.com

CABIN LIFT
UP

DOWN

S.T.I.M.

Houma 985-851-7465 / Lafayette 207-225-1500

OWNER:

WARRIOR/T

www.PetroRigs.com

CERT#:

269 WEST

FARE WT:

N/A

MAX GROSS WT: 50,000^{lb}

PROOF LOAD APPLIED: 100,000^{lb}

DATE OF LAST TEST / EXAMINATION

10-23-2012			

LT = LOAD TEST T = LOAD TEST, NDT AND VISUAL EXAM

VN = NDT AND VISUAL EXAM

V = VISUAL EXAM

CD400473

50.000

22.670

PH00020-5

50.000

22.670

28221

6.600

3.000

2/08

2015 TUBING REEL ASSY

www.PetroRigs.com

CE202128

www.PetroRigs.com

05/09

401 TRAILERIZED CABIN
ASSEMBLY