



Integrated
Power
Systems
Corp.

www.PetroRigs.com



www.PetroRigs.com

www.PetroRigs.com



ANGER
VOLTAGE

89

www.PetroRigs.com



www.PetroRigs.com

89	90	91	97	93
RIG LIGHTS 1	RIG LIGHTS 2	RIG LIGHTS 3	RIG LIGHTS 4	RIG LIGHTS 5

	LOGGING TRAILER	100 AMP FAN PLUG RIG FLOOR	SPARE 13 100A.F. 208VAC
--	-----------------	-------------------------------	----------------------------

www.PetroRigs.com



www.PetroRigs.com





www.PetroRigs.com

• DWC-A1 •

• MP3A-A1 •

• MP3A-S1 •

• DWC-S2 •

• MP3B-A1 •

• MP3B-S2 •

SUPER CHARGER
No. 3

25

26

27

HOT

www.PetroRigs.com



www.PetroRigs.com



www.PetroRigs.com



www.PetroRigs.com



www.PetroRigs.com



www.PetroRigs.com





www.PetroRigs.com

www.PetroRigs.com



www.PetroRigs.com



www.PetroRigs.com



www.PetroRigs.com

R-410A
S.A. 1001100

hard
WELD LINE

www.PetroRigs.com





MGM TRANSFORMER COMPANY

CITY OF COMMERCE, CA 90040

SN CAT NO INS SYS 220 °C
 KVA PHASE FREQ HZ TYPE
 CLASS RISE °C POLARTIY OR CONN SYMBOL
 HV BIL KV COND
 LV BIL KV COND
 IMPEDANCE % AT °C
 INSTR BOOK CORE & COIL WT LBS TOT WT LBS

CAUTION! READ INSTRUCTION BOOK BEFORE INSTALLING / OPERATING THIS TRANSFORMER



CONNECT TAP	VOLTAGE	AMPS AT KV	AMPS AT KVA	AMPS AT KVA
2-6	540	1353.2		
4-6	620	1396.8		
3-6	600	1443.4		
3-7	580	1493.2		
2-7	560	1545.5		
LV	480	2504		

DANGER! HIGH VOLTAGE! DE-ENERGIZE TRANSFORMER BEFORE CHANGING TAPS

MADE IN USA

DRY TYPE TRANSFORMER

3100-028

www.PetroRigs.com

www.PetroRigs.com

BAYLOR

"DANGER-HIGH VOLTAGE"
UNINSULATED COMPONENTS CARRYING
HIGH POTENTIAL AC AND DC CURRENTS
INSIDE CABINET

**DO NOT SET
ANYTHING ON TOP
OF TRANSFORMER.
IT GETS TOO HOT
AND POSSIBILITY
OF FIRE COULD
OCCUR.**



www.PetroRigs.com

