

[www.PetroRigs.com](http://www.PetroRigs.com)



[www.PetroRigs.com](http://www.PetroRigs.com)





[www.PetroRigs.com](http://www.PetroRigs.com)



[www.PetroRigs.com](http://www.PetroRigs.com)



[www.PetroRigs.com](http://www.PetroRigs.com)

A yellow cylindrical object, possibly a component of an oil rig, lies on the ground. The word "EVERLUM" is printed in large, black, bold letters on its side. The object is positioned next to a large, silver metal structure, likely a storage tank or part of a rig. The ground is covered with dry, brown grass and twigs. A watermark "www.PetroRigs.com" is overlaid on the image in white text.

[www.PetroRigs.com](http://www.PetroRigs.com)





[www.PetroRigs.com](http://www.PetroRigs.com)





[www.PetroRigs.com](http://www.PetroRigs.com)



[www.PetroRigs.com](http://www.PetroRigs.com)

**FLARUM**



[www.PetroRigs.com](http://www.PetroRigs.com)



[www.PetroRigs.com](http://www.PetroRigs.com)



[www.PetroRigs.com](http://www.PetroRigs.com)



[www.PetroRigs.com](http://www.PetroRigs.com)

[www.PetroRigs.com](http://www.PetroRigs.com)





[www.PetroRigs.com](http://www.PetroRigs.com)



[www.PetroRigs.com](http://www.PetroRigs.com)



76UM  
HYDRAULIC OIL  
W GRADE ISO 32  
KILLS  
RAULIC  
STEMS  
EP THIS  
M CLEAN



[www.PetroRigs.com](http://www.PetroRigs.com)

[www.PetroRigs.com](http://www.PetroRigs.com)





[www.PetroRigs.com](http://www.PetroRigs.com)

HEARING PROTECTION  
IS REQUIRED



[www.PetroRigs.com](http://www.PetroRigs.com)

DANGER  
DANGER  
HIGH VOLTAGE

**FARU**

CONTROL

[www.PetroRigs.com](http://www.PetroRigs.com)

SAFETY CL  
NORMAL



INDEXER SELECT  
1&2 1&3



MAIN CONTROL  
OFF LOCAL PODIUM



SAFETY CL

HYDRAULIC OIL

HYDRAULIC OIL

UN

SAFETY CURTA

NORMAL

BYPAS

XER SELECT

1&3

[www.PetroRigs.com](http://www.PetroRigs.com)

SAFETY CURTA  
BYPASSED

HYDRAULIC OIL  
TEMPERATURE

HYDR  
LO

MAIN CONTROL

OFF

LOCAL

PODIUM

[www.PetroRigs.com](http://www.PetroRigs.com)

HYDRAULIC OIL  
LOW LEVEL

EMER

HY  
HIGH

AIN  
ED



MANUFACTURED BY

**FORUM**

PARTS & SERVICE 1-713-609-9808

PROJECT # 1114038

PW S-4000

WEIGHT - 66,758 lbs    MAX LIFT - 10,000 lbs    MAX GULLWING LOAD - 40,000 lb  
- 30,281 kgs    - 4,536 kgs    - 18,144 kgs

[www.PetroRigs.com](http://www.PetroRigs.com)

CUSTOMER: Rotary Oilfield Drilling - 4000

LENGTH - 72 ft 6 in    WIDTH - 8 ft 0 in  
- 22.098 m    - 2.4348 m


RIG HEIGHTS: 32 ft 0 in - 36 ft 0 in

SERIAL # 40SP0314137337FM831

P.O. 2001-24B

MADE IN MEXICO

HOURS



[www.PetroRigs.com](http://www.PetroRigs.com)

5 8 6 7 U  $\frac{1}{10}$

AGENCY