



petrorigs.com

petrorigs.com

SENDER G 15



petrorigs.com





petrorigs.com



petrorigs.com

petrorigs.com





petrorigs.com



petrorigs.com





petrorigs.com

petrorigs.com



petrorigs.com



petrorigs.com





petrorigs.com



petrorigs.com

DANGER
TIE OFF
REQUIRED

Sender's Life Saving Rules

EMERGENCY POSTER
AMBULANCE PH # 312.471.1111
FIRE DEPT PH # 316.471.2322
SHERIFFS PH # 316.471.7662
POLICE PH # 312.471.2110
WELL NAME & NUMBER, D. SMITH & S.O.
GPS COORDINATES 41° 10' N, 104° 10' W
DROWING DIRECTIONS: Run 1/2 mile
N. from 312.471.2110 to west of 104°
W. to 104° 10' W. Turn left onto 312.471.2110
to 104° 10' W. Turn right to 312.471.2110

SAFETY FIRST FIRST AID KIT

Police - 432-756-3303
Fire Dept - 432-756-3333
Ambulance - 432-756-2211
BHA 603,000
CO. MAN: Ronnie McCuley
432.634.5910
Taryn - 432.634.4500
2015 GOAL
GOAL is 133
Stretch Goal is 139
OUR GOAL ON RIGS
is 0/acc
AIR HOIST
PUE RATING - 3000
DROWLINE
PUE RATING - 4000
CO. MAN Carlos 432-2
COM
Keep Alarm
Make Sure
When Going Over Shots
Wash out Curtains F
(Check Day Tanks 3T
(NO SPILLS)

12:00	12:30
2:40	3:00
8:40	4:00
10:15	

petrorigs.com

MATERIAL SAFETY DATA SHEETS



EMERGENCY POSTER
334-475-1111
334-475-1112
334-475-1113
334-475-1114
334-475-1115
334-475-1116
334-475-1117
334-475-1118
334-475-1119
334-475-1120
334-475-1121
334-475-1122
334-475-1123
334-475-1124
334-475-1125
334-475-1126
334-475-1127
334-475-1128
334-475-1129
334-475-1130
334-475-1131
334-475-1132
334-475-1133
334-475-1134
334-475-1135
334-475-1136
334-475-1137
334-475-1138
334-475-1139
334-475-1140
334-475-1141
334-475-1142
334-475-1143
334-475-1144
334-475-1145
334-475-1146
334-475-1147
334-475-1148
334-475-1149
334-475-1150
334-475-1151
334-475-1152
334-475-1153
334-475-1154
334-475-1155
334-475-1156
334-475-1157
334-475-1158
334-475-1159
334-475-1160
334-475-1161
334-475-1162
334-475-1163
334-475-1164
334-475-1165
334-475-1166
334-475-1167
334-475-1168
334-475-1169
334-475-1170
334-475-1171
334-475-1172
334-475-1173
334-475-1174
334-475-1175
334-475-1176
334-475-1177
334-475-1178
334-475-1179
334-475-1180
334-475-1181
334-475-1182
334-475-1183
334-475-1184
334-475-1185
334-475-1186
334-475-1187
334-475-1188
334-475-1189
334-475-1190
334-475-1191
334-475-1192
334-475-1193
334-475-1194
334-475-1195
334-475-1196
334-475-1197
334-475-1198
334-475-1199

Police - 432-756-3303
Fire Dept - 432-756-3333
Ambulance - 432-756-2211

Co. Man Carlos Rodriguez
432-238-9136

DP-364

BHA 65,000

CO. MAN: Ronnie McConley
432-530-5400

2015 GOAL
Good in 173
Sketch Goals 139
OVR GOAL ON RIG 15
AIR HEAST
PWR RATING - 3000
HAWKLINE
PWR RATING - 4000

Keep Alarms set on PSI + strokes
Make Swe and get Floats out of line
When Going Over Station USE feather pump to
Wash out Curtains / Shaker!

(Check Day Tanks 3 Times a Tour!!)
(NO SPILLS)

17:30	17:30
2:40	3:00
8:40	4:00
10:15	

CASH REWARDS PAID \$
For information leading to the arrest and/or conviction of anyone committing a crime on this location.
EMERGENCY CRIME TIPS
888-645-TIPS
1-844-771-1111
REMAIN ANONYMOUS

NOTICE



Parameter	Unit	Normal Range	Alert Range	Alarm Range
Pressure	PSI	100-120	120-130	130-140
Flow	GPM	10-20	20-30	30-40
Temperature	F	60-80	80-90	90-100
Level	FT	10-20	20-30	30-40

MATERIAL SAFETY DATA SHEETS



petrorigs.com



petrorigs.com



petrorigs.com



petrorigs.com



petrorigs.com



petrorigs.com



petrorigs.com



petrorigs.com



petrorigs.com



petrorigs.com



petrorigs.com



SER. NO. JRE07895

ENGINE MODEL C13

CERT. NO.

ENGINE SALES MODEL:

MODIFICATION NO. SEE ORDER

MAX 1500 M
ALT 1912 F

ARK. NO. 254-183

ELECTRONICS CO.

CORE AR.

ECM SOFTWARE 294-7320

OEM NO.

PERF. SPEC 0K-5581

FLS (INTERCEPT) 38

FTS (SLOPE) -45

ADV. 540 HP 403.0 kW MAX

HP kW

USE SERVICE TOOL TO VERIFY CURRENT ENGINE SETTINGS

28 365 111

petrorigs.com

A close-up photograph of a yellow industrial machine, possibly a pump or motor. The machine has a textured, yellow-painted metal surface. A white rectangular label is affixed to the front, but the text on it is obscured by a watermark. The watermark, 'petrorigs.com', is written in a white, sans-serif font across the center of the label. The background is slightly out of focus, showing other parts of the machine and a blue sky. The overall image has a slightly grainy texture.

petrorigs.com

A photograph of a blue industrial valve assembly. The valve is mounted on a yellow protective cover that shows signs of wear and tear. A blue handle is attached to the top of the valve. To the right, a blue pipe with a white elbow connects to the valve. Below the valve, a red cylindrical filter is visible. The background shows a green metal structure with various pipes and fittings. The text "petrorigs.com" is overlaid in the center of the image.

petrorigs.com

petrorigs.com





petrorigs.com



petrorigs.com



petrorigs.com



petrorigs.com

petrorigs.com





petrorigs.com



petrorigs.com



petrorigs.com



petrorigs.com

IDECO

3210 TRIPLE FUND

MADE IN ITALY

SERIAL NO. 10000

PATENTED IN ITALY PATENTS PENDING

DESIGNED AND MANUFACTURED IN ITALY

LINE SIZE	LINE SIZE
1/8"	1/8"
3/16"	3/16"
1/4"	1/4"
5/16"	5/16"
3/8"	3/8"
1/2"	1/2"

OPERATION INSTRUCTIONS: FOR AMERICAN USE
SEE MANUAL AND USE TO USE MANUFACTURED
IN ITALY. FOR MORE INFORMATION CONTACT
FOR TECHNICAL ASSISTANCE AND CONSULT
LUBRICATION MANUAL
OIL CASE CAPACITY 7.5 L
MADE IN ITALY

IDECO



petrorigs.com

31118

84

petrorigs.com

INDECO

PERMIT NO. 020010 PATENTS PENDING

PERFORMANCE MAX INPUT 100 HP AT 140 PSI

LINER SIZE	PSI	LINER SIZE	PSI
7/8"	200	5/8"	375
1 1/8"	250	3/4"	425
1 1/2"	300	1/2"	500

OPERATION INSTRUCTIONS: PERMANENT TEMP BETWEEN 10°F AND 120°F USE AS MANUFACTURED. NOT TO EXCEED WITH FORMING TEMP INCREASE. FOR OTHER TEMPERATURE RANGES CONSULT USER'S MANUAL. OPERATING CAPACITY 50 GALLONS

MANUFACTURED AT BEAUMONT, TEXAS, U.S.A. BY



The image shows an outdoor industrial site under a clear blue sky with a bright sun in the upper left. In the center, a large, grey, cylindrical piece of machinery, possibly a compressor or pump, sits on a concrete base. To its left is a smaller green electrical control box. To the right, there are yellow pipes and a white spherical tank. In the background, there are green metal structures and a walkway with railings. The ground is covered with dry, brownish grass. A large white watermark 'petrorigs.com' is centered over the machinery.

petrorigs.com



petrorigs.com

petrorigs.com

400
TON

PROTECTOR
FOR
LIF





petrorigs.com

A yellow metal structure, possibly a platform or ladder, stands in a field of dry grass. The structure is made of yellow-painted metal beams and has a rope hanging from it. In the background, there are several green and white containers or trailers parked in a line. The sky is clear and blue. The text 'petrorigs.com' is overlaid in the center of the image.

petrorigs.com

petrorigs.com





petrorigs.com



petrorigs.com



petrorigs.com



petrorigs.com



petrorigs.com



petrorigs.com

The image shows an industrial or construction site in a dry, open field. In the foreground, there is a large green metal container or trailer lying on its side, partially obscured by dry brush and a black tire. A large roll of black material with a white label is resting on top of the green container. In the background, a large, complex structure with a white metal truss roof and green panels is visible. To the right of this structure, there is red industrial machinery, possibly a pump or engine. The sky is clear and blue. The text 'petrorigs.com' is overlaid in white in the center of the image.

petrorigs.com



petrorigs.com



petrorigs.com



petrorigs.com



petrorigs.com



petrorigs.com



petrorigs.com



petrorigs.com

petrorigs.com





petrorigs.com



petrorigs.com



petrorigs.com

petrorigs.com





petrorigs.com

GARDNER-ID
276

petrorigs.com

SENDER02





petrorigs.com



petrorigs.com



petrorigs.com

petrorigs.com





petrorigs.com

petrorigs.com

SENDER 02





petrorigs.com

petrorigs.com

SENDER021



petrorigs.com

SENDER C



A large green industrial generator is mounted on a metal platform on an offshore oil rig. The generator has a cylindrical top section and a rectangular base. It is surrounded by various cables and hoses. To the left, there is a yellow metal safety cage. The deck is made of metal grating and shows signs of wear and rust. In the background, the rig's structure and a clear blue sky are visible.

petrorigs.com



petrorigs.com



petrorigs.com



宝鸡石油机械有限责任公司

BAOJI OILFIELD MACHINERY CO., LTD.

宝鸡石油机械有限责任公司

中国宝鸡 MADE IN CHINA BOME

型号 TYPE	F-000	油井泵 PUMP	冲次 PUMP SPEED	4000	系列 SERIAL	400200	规格 SPEC	00-010			
功率 POWER	0.01	排量 DISPLACEMENT	20	重量 WEIGHT	13.7	尺寸 DIMENSION	261X312X254				
缸径 CYLINDER SIZE	6	缸径 CYLINDER SIZE	6	缸径 CYLINDER SIZE	6	缸径 CYLINDER SIZE	5	缸径 CYLINDER SIZE	5	缸径 CYLINDER SIZE	4
压力 (MPa) PRESSURE (psi)	16.4 2378	17.6 2552	19.1 2769	20.7 3002	24.6 3567	29.8 4321	35.0 5000				

润滑说明 LUBRICATION SPECIFICATIONS
 使用下列推荐的无灰油剂 选用下列油剂时 油温在 100°C 以下 油压 10 MPa 以下
 100°C ~ 68°C 中负荷工业油
 68°C ~ 27°C 中负荷工业油

petrorigs.com



petrorigs.com

A photograph of an industrial rig, likely for oil or gas production. The rig features a complex network of white steel beams and platforms. On the upper levels, there are large green cylindrical tanks and various pieces of machinery. A prominent green tank in the foreground has the word "SENDER" and the number "1000" visible on its side. A red valve assembly is located on a lower platform. The rig is situated in an open field with dry, brownish grass under a clear blue sky. The text "petrorigs.com" is overlaid in the center of the image.

petrorigs.com



petrorigs.com

An industrial site featuring a large yellow generator with a metal cage, a green wellhead, and a multi-level steel structure. The foreground is filled with tall, dry grass. The sky is clear and blue.

petrorigs.com

RIG 2

petrorigs.com





petrorigs.com



petrorigs.com



petrorigs.com



SENDERO

RIG 2

petrorigs.com



petrorigs.com



petrorigs.com



petrorigs.com



petrorigs.com



petrorigs.com



petrorigs.com



petrorigs.com



petrorigs.com



petrorigs.com



petrorigs.com



petrorigs.com



petrorigs.com

petrorigs.com





petrorigs.com