







MAGN SYNCHRONOUS AC

		9 "10 OL	A POLICE AND A PROPERTY OF PERSONS ASSESSMENT ASSESSMENT ASSESSMENT ASSESSMENT ASSESSMENT ASSESSMENT ASSESSMEN	1011
MODEL .	The sale			
SERIAL			TYPE I	
FRAME		RPM RPM		
PH MANUEL	HZ		PF B	
ENCL.		AMB.		°C.
INS. CLASS		RISE BY RES.		°C
FIELD AMPS		FIELD VOLTS		
	CO	NTINUOUS		V
	woeti	rorigs.co		
	M AMPS			
	STAN	DBY SERVICE		
KW	VOLTS			
KVA	AMPS			
DRIVE BEARING		EXCITER BEARI	NG CONTRACTOR	
REGULATOR NO.		PMG VOLTS	PMG HZ	
				WIND CONTROL OF THE PARTY OF
	GREASING	INSTRUCTIONS		
LUBRICATE GENER	ATOR EVERY		CUBIC INCHI	ERATING
HOURS OR ANNUAL	LLY WITH	CREASE WITH A TEL	UBIC INCHI	3 01
CHEVRON SRI OR E	QUIVALENT C 0.175°C	REASE WITH A 1-		
RANGE OF SO C	ONT AND BUILD	P		10
		· \		
	THE RESERVE OF THE PERSON NAMED IN		- James 198 60	













































































































