

www.PetroRigs.com





www.PetroRigs.com



www.PetroRigs.com

CANRIG
Drilling Technology Ltd

MTR 2

www.PetroRigs.com





www.PetroRigs.com



www.PetroRigs.com



www.PetroRigs.com

CANRIG



MODEL: 12505-681
API SPEC 8C PSL2

8C-0079 1212 15000 LBS

API LICENSE No. SERIAL NO. LOAD RATING

02/2014 7500 PSI 6 3/4 REG

DATE OF MANUFACTURE WORKING PRESSURE QUILL CONNECTION

THIS TOP DRIVE SYSTEM IS PROTECTED BY ONE OR MORE OF THE FOLLOWING U.S. PATENTS AND FOREIGN COUNTERPARTS:

- US 4,478,291
- US 4,951,769
- US 6,024,181
- US 6,261,709
- US 5,755,296
- US 6,060,346
- US 6,079,333



CANRIG DRILLING TECHNOLOGY LTD.

**MAGNOLIA, TEXAS
U.S.A.**

www.PetroRigs.com

(281) 259-8887

SERIAL No:

TDSU J12797

WEIGHT:

16,000

LB

7,257

kg

OVERALL LENGTH:

15'

OVERALL WIDTH:

8'

OVERALL HEIGHT:

8'-6"



www.PetroRigs.com

www.PetroRigs.com



An open industrial control cabinet is shown, revealing its internal structure. The cabinet is light grey with a dark grey door that is swung open to the left. Inside, there are several shelves and a complex arrangement of cables and components. A large, white, rectangular cooling unit with black horizontal vents is mounted on the right side of the cabinet. Below this unit is a smaller, white, rectangular component with a glass-paned door. The floor is dark grey, and the walls are light-colored. A blue electrical panel is visible on the wall above the cabinet. The text "www.PetroRigs.com" is overlaid in the center of the image.

www.PetroRigs.com



www.PetroRigs.com



www.PetroRigs.com

An open industrial control cabinet is shown, revealing its internal structure. The cabinet is light grey and has its door swung open to the left. Inside, there are several shelves and a complex arrangement of cables and components. On the right side of the cabinet, there is a large, white, rectangular unit with two horizontal black grilles, likely a cooling fan or air conditioning unit. Below this unit is a smaller, white, rectangular component with a glass-paned door. The floor is dark grey, and there is a white, textured mat or floor covering in the foreground. The background is a plain, light-colored wall.

www.PetroRigs.com



CANRIG
Durable. Dependable. Efficient.

www.PetroRigs.com



CANRIG
DRILLING TECHNOLOGY LTD

www.PetroRigs.com



www.PetroRigs.com

CANRIG
DRILLING TECHNOLOGY LTD.

DANGER
THE WORK
MAY BE DANGEROUS

www.PetroRigs.com

CANRIG
DRILLING TECHNOLOGY LTD.

10 Tow



www.PetroRigs.com