



sudh



[www.PetroRigs.com](http://www.PetroRigs.com)

2023/1/13 14:51





[www.PetroRigs.com](http://www.PetroRigs.com)

2023/1/13 15:01









[www.PetroRigs.com](http://www.PetroRigs.com)

**NOTICE**  
PLEASE REFER TO THE REPAIR  
SYSTEM MAINTENANCE MANUAL  
FOR THE PROPER DISASSEMBLY AND

**WARNING**

**Curtee**

**WARNING**  
SHUT OFF PRESSURE BY OPENING  
THE SHUT OFF VALVE TO THE  
LEFT OF THE MOTOR. DO NOT  
OPERATE THE MOTOR WITH  
PRESSURE.





[www.PetroRigs.com](http://www.PetroRigs.com)

3

2023/1/13 14:58





www.PetroRigs.com

757065  
USA D/A  
1000000

2023/1/13 14:57



CAT®

SER. NO.	9RC00241	DATE DELIVERED	
MODIFICATION NO.		DLR CODE	
AR NO.	VPK68	PERF SPEC	219413
OEM NO.		MAX ALT	200M
FULL LOAD STATIC FUEL	9.00MM	FULL LOAD STATIC FUEL	9.60MM
POWER	5096 HP	3800 kW	AVF RATIO DYNAMIC
BARE ENG. HI IDLE RPM	909	FULL LOAD RPM	900
		FUEL TIMING	118.00MM

[www.PetroRigs.com](http://www.PetroRigs.com)

9L65 1 11



ENGINE  
MODEL

3612

SERIAL  
NUMBER

9RC00241



**CATERPILLAR**

**CAT**

ARRANGEMENT  
NUMBER

7F7012  
144-5368

(ALWAYS GIVE ALL NUMBERS)  
MADE IN U.S.A.

3N3790 11

[www.PetroRigs.com](http://www.PetroRigs.com)







[www.PetroRigs.com](http://www.PetroRigs.com)

2023/1/13 14:51



**CATERPILLAR**<sup>®</sup>

REMANUFACTURED STARTER

PART NO

0P39333

DATE CODE

11/11

CW

REF

700030

MAX PRESSURE

225

PSIG

3P070300105

[www.PetroRigs.com](http://www.PetroRigs.com)



TURN TO  
FULL OPEN  
(1½ TURNS)

TURN TO  
FULL OPEN  
(1½ TURNS)

[www.PetroRigs.com](http://www.PetroRigs.com)

2023/1/13 14:51





[www.PetroRigs.com](http://www.PetroRigs.com)

2023/11/23 14:53





[www.PetroRigs.com](http://www.PetroRigs.com)

2023/1/13 15:01



[www.PetroRigs.com](http://www.PetroRigs.com)

2023/1/13 15:12



A close-up photograph of a mechanical component, likely a part of a wellhead or valve assembly. The component has a dark, textured surface, possibly a cast metal or composite material. A prominent feature is a metal ring or flange that is slightly raised and has a smooth, polished finish. The lighting is dramatic, with strong highlights and deep shadows, emphasizing the textures and contours of the parts. The background is dark and out of focus.

[www.PetroRigs.com](http://www.PetroRigs.com)

2023/1/13 15:32



[www.PetroRigs.com](http://www.PetroRigs.com)

5

8

4P012703

2023/1/13 16:25



[www.PetroRigs.com](http://www.PetroRigs.com)

2023/1/13 15:32



10472  
GG 385530  
4P3712  
1010

[www.PetroRigs.com](http://www.PetroRigs.com)



[www.PetroRigs.com](http://www.PetroRigs.com)