



## FMC 15k Subsea Wellhead Package

The FMC UWD-15 is a subsea wellhead system developed by TechnipFMC, designed to support both shallow and deepwater drilling and production operations. It is rated for working pressures up to 15kpsi and can operate in water depths up to 10,000 feet.

### Key Features:

- **Modular, Stackable Design:** The UWD-15 system's design facilitates flexibility in various drilling scenarios, allowing for efficient configuration and installation.
- **Metal-to-Metal Sealing:** The system employs reliable metal-to-metal annulus seal assemblies, enhancing the integrity of the wellhead and minimizing potential leak paths.
- **High Load Capacity:** It can support substantial casing loads, with the first position hanger capable of suspending up to 2 million pounds of casing with a 15,000 psi Blowout Preventer (BOP) test.

**We have 4 complete systems available.**

This package is all new equipment with full documentation and ready to be shipped. There are 153 items in this package.

# Inventory List

The below inventory list has been color-coded, allocating to the 4 sets, with the balance being spares.

**PLEASE NOTE:**

SET 4 CAN BE USED AS A COMPLETE SET FOR ANY EXPLORATION WELL BY RUNNING 9-5/8"/10-3/4" AS LINER THEREFORE THE 2ND POSITION CASING HANGER (10-3/4") IS NOT REQUIRED.

NO.	WELLHEAD EQUIPMENT	QUANTITY AUCTIONED	SET 1	SET 2	SET 3	SET 4	BALANCE
1.	P1000179045 36" LP WH Housing including accessories and conductor 36" 1.5"WT X56M SDEF box 60ft	8	1	1	1	1	4
2.	P4000113283 18-3/4" HP WH Housing	4	1	1	1	1	0
3.	P4000052070 Rigid Lock Seal Assy (RLSA)	6	1	1	1	1	2
4.	P4000113293 20" x 13-5/8" Swage	3	1	1	1	0	0
5.	P4000113285 1st position casing hanger 13-5/8"	4	1	1	1	1	0
6.	P4000113287 2nd position casing hanger 10-3/4"	3	1	1	1	0	0
7.	P1000235134 MTM ASA	12	2	2	2	2	4
8.	P1000171630 Emergency ASA	1	1	0	0	0	0
9.	P1000062046 FX-II Gasket	2	1	1	0	0	0
10.	P4000094896 Top Spacer Sleeve for 1st pos. hanger	6	1	1	1	1	2



# Asset Photos

